Notification dated 11th July 1919.

Notice is hereby given that sealed tenders will be received at the office of the District Forest Officer, Mysore West, Mysore, up to 4 P.M. of the 15th August 1919, for the supply of Coir-ropes and Hemp of the following quantity and description at Mastigudi, 47½ miles from Mysore, on the Mysore-Manantody road.

2. The cover containing the tender should be superscribed as "Tender for the supply of Coir-ropes and Hemp."

3. Each tender must be accompanied by a deposit of Rs. 100 in currency notes as earnest money, in default of which, the tender will be rejected. The cover containing the tender should be duly insured and addressed to the District Forest Officer, Mysore West, Mysore, or delivered in person at the office.

4. The earnest money of the unsuccessful tenderer will be returned.

5. The District Forest Officer does not bind himself to accept the highest or any tender or to assign any reasons whatever for the rejection of the tender or tenders.

The successful tenderer shall execute an agreement embodying the following conditions:—

(*a*) That the contractor shall deliver the kind and quantities of coir-ropes and hemp by the 15th of September 1919, to the officer authorised to receive the same.

(*b*) That the contractor shall send along with the tender, samples of coir-ropes and hemp for approval and that if the quantity to be supplied is not up to the samples produced, they will be rejected.

(*c*) That the acceptance of the tender shall be subject to the confirmation of the Conservator of Forests.

(*d*) That the successful tenderer shall within a week of the acceptance of the tender, deposit Rs. 500 as security for the due fulfilment of the contract.

(*e*) That breach of any of the conditions will entail the cancellation of the contract and the forfeiture of the whole or a portion of the security amount.

Coir-ropes.

Total number of pieces required to be supplied is *14,500* of the following dimensions:—

No.	Length Cubits.	Thickness Inches.
5,000	12	1" to 3".
3,000	15	
2,000	19	
1,500	27	
3,000	30	

Hemp.

Quantity required to be supplied ... ... 600 maunds of 28 lbs.

Quality.

Soft and long staple.

B. V. RAMIENGAR,
District Forest Officer,
Mysore West, Mysore.

ENGINEERING DEPARTMENT.

GOVERNMENT OF MYSORE ELECTRICAL DEPARTMENT.

Notice dated 5th July 1919.

Notice is hereby given that sealed tenders will be received up to the 5th August 1919, noon, for the supply of the undermentioned articles, required for the use of the Electrical Department.

2. Tenders should be submitted on their own forms accompanied by a list in the form given below, showing the rates at which the different items specified in the list will be supplied. Only the first quality materials are to be tendered for.

3. Each tender must be accompanied by a deposit of Rs. 200 as earnest money and be superscribed "Tenders for the supply of materials required for the use of the Electrical Department," in default of which, tenders will be rejected.

4. The final acceptance of the tender will rest with the Chief Electrical Engineer, who does not bind himself to accept the lowest or any tender or assign any reason whatever for the rejection of any tender. The Chief Electrical Engineer reserves the right of awarding any part or portion of the supply to any tenderer.

5. After tenders are opened, no change of rates under any circumstances will be allowed. They will be opened in public at 2 P.M. on the 6th August 1919.

6. The rate tendered for each item shall include cost of delivery at the stores of the Electrical Department or F. O. R. Maddur and shall be binding on the supplier from the date of acceptance to the date the complete supply is made. No charge will be allowed for packing or carting.

7. Materials supplied found not to be up to standard in quality or to other causes, will be rejected and the supplier shall remove and shall guarantee to replace same with fresh materials then and there. (All charges incurred on the rejected materials will be debited to the supplier.)

8. Should the successful tenderer fail to supply the required material or replace the rejected materials in time, the same will be purchased elsewhere and the difference in cost between the rate tendered for and that at which the material is purchased will be debited to his account.

Materials required by the Electrical Department.

I. Excavation—		
1.	Pickaxes, mild steel, 6 lb. wt.	17 dozen
2.	Mahmooties, swan neck, mild steel, 5 lb. wt.	22 "
2.	Ash handles for above	3 "
4.	Crowbar, octagonal steel, 1" diameter	200 feet
5.	Do ¾" do	150 "
6.	Jumper, steel, octagonal 1" do	200 "
7.	Special canvas nose pipe, 2" dia. to stand a pressure of 200 lbs.	1,000 "
8.	Leather delivery hose copper rivetted 2" *dia.* to stand a 200 lbs. pressure	50 "
9.	4" galvanized pipe with couplings	100 "
10.	90° bends for above	1 dozen
11.	Reducers 4" to 3"	1 "
12.	3" galvanized pipe with couplings	400 feet
13.	Reducers 3" to 2"	12
14.	2" galvanized pipe with couplings	1,500 feet
15.	High pressure valves 4" to stand a pressure of 200 lbs. per sq. inch	6
16.	do 3"	12
17.	Ash handles for pickaxe, mild steel, 6 lb. wt.	2 dozen
II. Masonry—		
1.	Sookie or stone breaking hammers, 25 lb. wt.	6
2.	Hammers 3 lbs.	150
3.	Do 5 lbs.	100
4.	Do 10 lbs.	25
5.	Pressed mortar pans, 16" without handles	500
6.	Mason's strowels, 6"	150
7.	Do 4"	200
8.	Mason's iron squares, 1'x2'x1" (wide)	50
9.	Wooden spirit leaves, 14" long	50
10.	Metallic tape in leather cases, 50'	12
11.	Steel tape in leather case, 50'	6
12.	Zig-zag rules marked inches and millimeters, 6'	12
13.	Foot rule ordinary quality fourfold, 2 ft.	36
14.	Manilla rope, 3" circumference	2,000 fee
15.	Do 2" do	2,000 "
16.	Casarina poles, 6" bottom and 4" top dia. 30"	500
17.	Do do 20'	500
18.	Mango planks, 2"x12"x12'	1,000
19.	Pine ceiling planks tongued and grooved 6"x1" (Please specify lengths in which you can supply).	10,000 feet
20.	Portable Forge, circular pattern with "Torpedo" bottom, blast fan, diameter of hearth 24" (Richardson and Crudas).	6
21.	Bench vice, 5" jaw	6
22.	Pipe cutter Jone's Patent, to cut 2" to 4" pipes	3
23.	Tarpaulins, 18 ft. square with eyelets every ft.	24
24.	Galvanized corrugated sheets B. W. G. 22; 9'x32"	300
25.	Do B. W. G. 18; 6'x32"	200
26.	Mild steel flat bars, 2"x¼"	2,000 feet
27.	Motor mill 8' for belt driving pulley, 36" dia.	2
28.	Adjustable hackshaw frames, nickle plated for 8 to 12 inches hacksaws	12
29.	Hacksaw blades, 8"	4 dozen
30.	Do 12"	12 "
31.	Iron pots, 2 gallon capacity	300
32.	Buckets, galvanized, 2 gallon capacity	150
33.	Water cans, galvanized, 2 gallon capacity	3 dozen
34.	"Lion" Lawn Mower, 15" cutters with grass box	2
III. Blasting material—		
1.	Giletenite.	250 lbs.
2.	Fuses (best quality)	1,000 feet
IV. Carpenter's tools—		
1.	Cast steel firmer chisels, 2" (fish brand)	6 dozen
2.	Do do 1½" do	6 "
3.	Do do 1¼" do	6 "
4.	Do do 1" do	6 "
5.	Do do ½" do	6 "
6.	Cast steel firmer gouges or half round, 1"	1 "
7.	Do do ¾"	1 "
8.	Do do ½"	1 "

9.	Cast steel double plane bits, 1¾"	2 „ dozen
10.	Do single 1¾"	2 „
11.	Do single 1½"	2 „
12.	Do double 1½"	2 „
13.	Hand augers, Sheffield make, ½"	2 „
14.	Do do ¾"	2 „
15.	Do do 1"	1 „
16.	Do do 1¼"	1 „
17.	Carpenter's brace, ball bearing	1 „
18.	Keen kutter auger bits, 1", ⅞", ¾", ⅝", ½", ⅜", and ¼"	1 dozen each
19.	Ball pane hammers, 1½ lbs.	2 „
20.	Claw hammers	1 „
21.	Keen Kutter expansion bit with blades of sizes	4 „
22.	Best plated joiners square 12"x8"	1 „
23.	Glass cutters	4 „
24.	Iron spirit level of 12"	½ „
25.	Monkey spunner with wooden handle, 8" and 12"	½ „
26.	Oil stones of 8"	2 „
27.	Carpenter's compasses, 8" and 10"	½ „
28.	Side cutting pliers	½ „
29.	Keen Kutter, hand saw, 26"	1 „
30.	Do 30"	1 „
31.	Nail puller	½ „
32.	Pincers	½ „
33.	Cast steel tennon saws, 12" and 15"	½ „
34.	Cast steel, pit saw or 4 ft. long or mill saw web	½ „
35.	Three-corner files, 4" and 5" (cross brand)	6 „
36.	Countersunk bit for metal	½ „
37.	Half round files, 10" and 12" rough	1 „
38.	Good padlocks for tool boxes, 4 levers	2 „

Notice is hereby given to the public that the following have been granted licenses by this department for carrying out electric installations in Mysore and Bangalore :—

For Power and Lighting Installations.

1. The Anglo American Electrical Stores, No. 2, South Parade, Bangalore.
2. Messrs. Campbell & Sons, Brigade road, Bangalore.
3. Mr. C. O'Doherty, 14, Serpentine Street, Richmond Town, C. and M. Station.
4. „ Hussain, Bamboo Bazaar road, Bangalore City.
5. „ G. L. Naranappa, Arcot Srinivasachar's Street, Bangalore City.
6. „ B. Abdul Rahiman, B.A., Patharappa's Street, Bangalore City.

For lighting installation only.

7. Mr. B. S. Rajagopal Mudaliar, 109, 2nd Main road, Chamarajpet, Bangalore City.
8. The Empire Stores, Avenue road, Bangalore City.
9. Messrs. B. L. Gajaraja Mudaliar & Sons, No. 50, Jewellers Street, Bangalore Cantonment.
10. Mr. Voli Mahomed Jamal, Commercial Street, Civil and Military Station.
11. „ C. Sivarudrappa, 244, Doddapet, Bangalore City.
12. „ N. V. Narasimhaiya, Arcot Srinivasachar's road, Bangalore City.
13. „ Beerappa, 46, Revansettipet, Bangalore City.
14. „ Velayudam Pillay, Sri Rama Electrical Stores, Avenue road, Bangalore City.
15. „ Karim Khan, Electrical Stores, Mysore.
16. „ Abdul Wahad Khan, Lakshmivilas road, Mysore.
17. Messrs. N. V. G. Rao & Co., Electric Contractor, Mysore.
18. „ V. N. Subarama Iyer and Brothers, Commercial Street, Civil and Military Station, Bangalore.

S. G. FORBES,
Chief Electrical Engineer to the Government of Mysore.

BANGALORE DIVISION.

Dated 17th July 1919.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 9th August 1919, for repairing the building of the Sri Chamarajendra Sanskrit College, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1919.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms, which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees four hundred and fifty only, in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for repairing the building of the Sri Chamarajendra Sanskrit College, Bangalore," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Southern Circle, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

No.	Items of work	Unit	Office room	Right block	Front block	Left block	Miscellaneous	Total quantities
			Quantity	Quantity	Quantity	Quantity	Quantity	
1	Providing and fixing new teakwood windows with pannelled and glazed shutters with iron bars, 1" thick, hooks, hinges, painting, silver gray colour for office room only, complete.	S. ft.	48	39		58		145
2	Providing teakwood sun shades for the above with painting.	"	154	88	..	..	..	242
3	Removing old leaky pot tiled roof and junglewood work.	Sq.	8·10	..	32·10	19	..	59·20
4	Burnt brick in mortar walls all round and above the existing walls to prevent acess of white ants for a height of 1½'.	C. ft.	363	..	989	504	..	1,856
5	Plastering with mortar	Sq.	8·44	6·60	31·86	27·74	..	74·64
6	Providing and fixing bond slabs for the cracks in the walls.	No.	18	24	16	16	..	74
7	Flooring with Cuddappa slabs over the present broken concrete floor.	Sq.	1·52	3·80	..	3·42	..	8·74
8	Teakwood wrought and put up with wood oiling.	C. ft.	29·83	..	207·95	85·34	..	323·12
9	Roofing with 1st class Mangalore tiles, teak reepers, binding wall, etc., complete.	Sq.	9·00	..	42·51	19·00	..	70·51
10	Whitewashing	"	9·28	24·57	46·67	27·71	..	108·23
11	Colourwashing	"	8·30	19·15	32·35	16·86	..	76·66
12	Providing and fixing glass panes for windows..	No.	..	25	26	15	..	66
13	Providing buttress walls outside west wall ..	"	5	..	..	..	..	5
14	Woodoiling rafters, coupples and reepers ..	Sq.	..	8·20	..	..	..	8·20
15	Cement pointing verandah	"	..	7·56	13·50	5·76	..	26·82
16	Chokolate painting	"	..	5·29	7·22	2·60	..	15·11
17	Zinc sheets for valleys..	Sq. ft.	..	..	..	..	108	108
18	Ridging with 1st class ordinary ridge tile set in mortar.	R. ft.	..	..	..	..	243	243

N.B.—Specific rates should be quoted for all items and not such remarks as per actuals, etc.

T. S. RAGHAVACHAR, *Executive Engineer.*

MYSORE DIVISION.

Dated 14th July 1919.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 8th August 1919, for improving the Vanivilas Hospital at Mysore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1920.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 480 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for improving the Vanivilas Hospital at Mysore," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract estimate for improving the Vanivilas Hospital at Mysore.

Serial No.	Items of work	Per	Quantity
	Constructing corridor.		
1	Earthwork excavation	C. yd.	118
2	Chunam concrete	C. ft.	1476
3	Burnt brick in mortar		5,929
4	Burnt stone slab 6" thick	S. ft.	2,327
5	Dressing 3 lines the slab pillars	"	3,525
6	Dressing, coping slab 4" thick neatly 3 line dressed and champhered	"	1,561
7	Chunam plastering	Sq.	67·66
8	Cutting grooves 3"×3" for pillars	No.	282
9	White and colourwashing 2 coats	Sq.	67·66
10	Teakwood work wrought and put up	C. ft.	448·80
11	Roofing with 1st class Mangalore tiles on teak reepers	Sq.	96·09
12	Zinc sheet for valley	Sq. ft.	288
13	Ornamental ridge tiles set in mortar and cement pointing	R. ft.	829
14	Ornamental eave board	"	1,549
15	Chunam border	"	312
16	Blue silicate painting 2 coats	Sq.	112·0
17	Flooring with Cuddapah slab over 3" concrete and cement pointing	"	39·78
18	Providing stops and ramps wherever necessary and closing gables with brick in mortar 4½" thick plastering complete and other sundry works.	Lump	sum
	Improving the floor of wards.		
1	Flooring with 8" square Marscilles on mortar bed and cement pointing	Sq.	51·95
2	Dismantling the present Asphalt floor and removing debris, etc., complete.	"	51·95
3	Opening out a gateway in the south-western corner of the compound wall with gate shutter for carrying corpse by cart from Dead House.	Lump	sum
	Miscellaneous improvement.		
1	S. M. rails for posts	R. ft.	128
2	Zinc wire ⅛" dia. for cross pillars to pillars for spreading cloth	Lump	sum
3	Teakwood round poles straight 3" dia. including mending and smoothing for fixing in the walls of linen boiling room.	R. ft.	72
4	Fixing the poles in walls and fixing rails of post and other sundry items required.	Lump	sum

A. PUTTUSAMIAH,
Executive Engineer.

CHITALDRUG DIVISION.

Notification dated 12th July 1919.

It is hereby notified that the undernoted arrears outstand in the books of this office for more than one year. The parties concerned are requested to appear in person at the office of the Executive Engineer, between the 28th and the 5th of the month following during office hours and receive payment. If the amount is not claimed within 5th October 1919 the latest, the same will be credited to Government.

List showing the arrears outstanding unadjusted, for more than three years :—

Name of work	Name of contractor	Amount due		From what month outstanding	Whether contractor working or not for adjustment
		To	From		
		Rs. a. p.	Rs. a. p.		
A. R. of Bangalore-Dharwar road.	Armogam Mudaliar	0 1 0		October 1917	Not working.
Do	Mallanniah	1 6 0		March 1917	Do
Do	Lakshmana Singh	1 14 11		May 1911	Do
A. R. of Salem-Bellary road.	Rasalu Venkata Boyee.	7 5 7		April 1916	Do
A. R. of Chitaldrug-Benkipur road.	Jamaluddin Sab	0 7 6		January 1914	Do
Do	Venkatappa	0 1 7		June 1916	Working.
A. R. of Hiriyur-Huliyar road.	Chikka Hanume Gowda.	5 0 0		January 1910	Not working.
Restoring Sadarahalli Hirekere and Arsingatta Chikkere.					Given on materials and materials are at site.

N. G. KRISHNA IYENGAR,
Executive Engineer.